

## Scientific publications concerning the Cretaceous –Tertiary boundary section at Stevns Klint published between 1759 and July 2013.

1. Abildgaard, S. (1759). *Beskrivelse over Stevns Klint og dens naturlige ærkværdigheder*. Copenhagen.
2. Abildgaard, S. (1764). *Beschreibung von Stevns Klint und dessen natürlichen Merkwürdigkeiten - mit mineralogischen und chymischen Betrachtungen erläutert und mit Kupferstichen versehen*. Copenhagen.
3. Andreassen, K. A., & Fabricius, I. L. (2010). Biot critical frequency applied to description of failure and yield of highly porous chalk with different pore fluids. *Geophysics*, 75 (6), 205–213.
4. Andreassen, K. A., Fabricius, I. L., & Foged, N. N. (2011). Biot critical frequency applied as common friction factor for pore collapse and failure of chalk with different pore fluids and temperatures. *SPE Journal*, 1002–1009.
5. Alvarez, L. W., Alvarez, W., Asaro, F., & Michel, H. V. (1980). Extraterrestrial cause for the Cretaceous-Tertiary Extinction. *Science*, 208 (4448), 1095–1108.
6. Alvarez, W., Alvarez, L. W., Asaro, F., & Michel, H. V. (1982). Current status of the impact theory for the terminal Cretaceous extinction. *Geological Society of America Special Paper*, 190, 305–315.
7. Alvarez, W., Kauffman, E. G., Surlyk, F., Alvarez, L. W., Asaro, F., & Michel, H. V. (1984). Impact theory of mass Extinctions and the Invertebrate Fossil Record. *Science*, 223 (4641), 1135–1141.
8. Andersen, S. A. (1933). *Det danske landskabs historie*. Copenhagen: Levin & Munksgaard.
9. Andersen, S. A. (1944). *Det danske landskabs historie: Danmarks geologi I almenfattelig fremstilling, I. bind, Undergrunden*, 2nd ed. Populær-videnskabeligt Forlag, København. 480 pp.
10. Anderskov, K., Damholt, T., & Surlyk, F. (2007). Late Maastrichtian chalk mounds, Stevns Klint, Denmark - Combined physical and biogenic structures. *Sedimentary Geology*, 200 (1–2), 57–72.
11. Baron-Szabo, R. C. (2008). Corals of the K/T-boundary: Scleractinian corals of the suborders Dendrophylliina, Caryophylliina, Fungiina, Microsolenina, and Stylinina. *Zootaxa*, 1952, 1–244.

12. Bauluz, B., Peacor, D. R., & Elliott, W. C. (2000). Coexisting altered glass and Fe-Ni oxides at the Cretaceous-Tertiary boundary, Stevns Klint (Denmark): direct evidence of meteorite impact. *Earth and Planetary Science Letters*, 182 (2), 127–136.
13. Bauluz, B., Peacor, D. R., & Hollis, C. J. (2004). TEM study of meteorite impact glass at New Zealand Cretaceous-Tertiary sites: evidence for multiple impacts or differentiation during global circulation? *Earth and Planetary Science Letters*, 219 (3-4), 209–219.
14. Bedemar, E. V. (1820). “Ueber die Kalk- und Kreide-Formation von Faxöe, Stevns und Möens Klint”, *Mineralogisches Taschenbuch für das Jahr 1820 von Karl Caesar Ritter von Leonhard, Erste Abteilung, Frankfurt am Main* 24 pp.
15. Berggren, W. A. (1962). Some planktonic foraminifera from the Maastrichtian and type Danian stages of southern Scandinavia. *Stockholm Contributions in Geology*, 9 (1), 1–106.
16. Berggren, W. A. (1964). The Maastrichtian, Danian and Montian Stages and the Cretaceous/Tertiary boundary. *Stockholm Contributions on Geology*, 11 (5), 103–176.
17. Bernecker, M., & Weidlich, O. (2005). Azooxanthellate corals in the Late Maastrichtian-Early Paleocene of the Danish basin: bryozoan and coral mounds in a boreal shelf setting. In: Freiwald, J. M. (Eds) *Erlangen Earth Conference Series, Cold-Water Corals and Ecosystems*, 3–25, Springer-Verlag, Berlin Heidelberg.
18. Berthelsen, O. (1962). Cheilostome Bryozoa in the Danian Deposits of East Denmark. *Geological Survey of Denmark*, 83, 1–290.
19. Birkelund, T. (1957). Upper Cretaceous belemnites from Denmark. *Biologiske Skrifter. Det Kongelige Danske Videnskabernes Selskab*, 9 (1), 1–69.
20. Birkelund, T. (1993). Ammonites from the Maastrichtian white chalk of Denmark. *Bulletin of the Geological Society of Denmark*, 40 (1–2), 33–81.
21. Bjerager, M., & Surlyk, F. (2007). Benthic palaeoecology of Danian deep-shelf bryozoan mounds in the Danish Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 250 (1–4), 184–215.
22. Bjerager, M., & Surlyk, F. (2007). Danian Cool-Water Bryozoan Mounds at Stevns Klint, Denmark-A New Class of Non-Cemented Skeletal Mounds. *Journal of Sedimentary Research*, 77 (8), 634–660.
23. Bjerager, M., Surlyk, F., Lykke-Andersen, H., Thibault, N., & Stemmerik, L. (2010). Danian cool-water coral reefs in southern Scandinavia localised over seafloor highs. *Marine and Petroleum Geology*, 27 (2), 455–466.
24. Blake, D. B., & Jagt, J. W. M. (2005). New latest Cretaceous and earliest Paleogene asteroids (Echinodermata) from the Netherlands and Denmark and their palaeobiological significance. *Bulletin de l'Institut royal des sciences naturelles de Belgique. Sciences de la terre*, 75, 183–200.

25. Bohor, B. F., Modreski, P. J., & Foord, E. E. (1987). Shocked quartz in the Cretaceous-Tertiary boundary clays: Evidence for a global distribution. *Science*, 236 (4802), 705–709.
26. Bramlette, M. N. (1958). Significance of coccolithophorids in calcium-carbonate deposition. *Bulletin of the Geological Society of America*, 69, 121–126.
27. Bramlette, M. N., & Martini, E. (1964). The great change in calcareous nannoplankton fossils between the Maestrichtian and Danian. *Micropaleontology*, 10 (3), 291–322.
28. Brinkhuis, H., Bujak, J. P., Smit, J., Versteegh, G. J. M., & Visscher, H. (1998). Dinoflagellate-based sea surface temperature reconstructions across the Cretaceous-Tertiary boundary. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 141 (1–2), 67–83.
29. Brinkhuis, H., & Zachariasse, W. J. (1988). Dinoflagellate cysts, sea level changes and planktonic foraminifers across the Cretaceous-Tertiary boundary at El Haria, northwest Tunisia. *Marine Micropaleontology*, 13 (2), 153–191.
30. Brisman, K., Engel, M. H., & Macko, S. A. (2001). Distribution, stereochemistry, and stable isotope composition of amino acids in K/T boundary sediments. *Precambrian Research*, 106 (1–2), 59–77.
31. Bromley, R. G. (1967). Some observations on burrows of thalassinidean Crustacea in chalk hardgrounds. *Quarterly Journal of the Geological Society*, 123 (1–4), 157–182.
32. Bromley, R. G. (1968). Burrows and boring in hardgrounds. *Meddelelser fra Dansk Geologisk Forening*, 18 (2), 247–250.
33. Bromley, R. G. (1998). The Upper Cretaceous of Stevns Klint, Fakse and Mon (Denmark). *Bochumer Geologische und Geotechnische Arbeiten*, 48, 1–19.
34. Bromley, R. G., & Ekdale, A. A. (1984). Trace Fossil Preservation in Flint in the European Chalk. *Journal of Paleontology*, 58 (2), 298–311.
35. Bromley, R. G., & Ekdale, A. A. (1987). Mass transport in European Cretaceous chalk; fabric criteria for its recognition. *Sedimentology*, 34 (6), 1079–1092.
36. Bromley, R. G., Ekdale, A. A. & Asgaard, U. (1999). Zoophycos in the Upper Cretaceous chalk of Denmark and Sweden. *Greifswalder Geowissenschaftliche Beiträge*, 6, 133–142.
37. Bromley, R., Ekdale, A. A., & Richter, B. (1999). New *Taenidium* (trace fossil) in the Upper Cretaceous chalk of northwestern Europe. *Bulletin of the Geological Society of Denmark*, 46 (1), 47–51.
38. Brood, K. (1972). Cyclostomatous Bryozoa from the Upper Cretaceous and Danian in Scandinavia. *Stockholm Contributions in Geology*, 26, 1–464.

39. Chai, Z. F., Kong, P., Mao, X. Y., Ma, S. L., Zhou, Y. Q., & Ma, J. G. (1991). Chemical-Species of Iridium and Other Trace-Elements At K-T Boundary Clay Layer, Stevns Klint, Denmark, and Its Implication. *Science in China Series B-Chemistry*, 34 (12), 1492–1500.
40. Cheetham, A. H. (1971). Functional morphology and biofacies distribution of cheilostome Bryozoa in the Danian Stage (Paleocene) of southern Scandinavia. *Smithsonian Contributions to Paleobiology*, 6, 1–87.
41. Chew, S. H., Greenway, T. J. L., & Allen, K. W. (1984). Accelerator mass spectrometry for heavy isotopes at Oxford (OSIRIS). *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 5 (2), 179–184.
42. Christensen, L., Fregerslev, S., Simonsen, A., & Thiede, J. (1973). Sedimentology and depositional environment of lower Danian fish clay from Stevns Klint, Denmark. *Bulletin of the Geological Society of Denmark*, 22 (3), 193–212.
43. Christensen, W. K. (1979). Maastrichtian belemnites from Denmark. In: Birkelund, T. & Bromley, R. G. (Eds) *Cretaceous-Tertiary boundary events, symposium*. (Vol. I. The Maastrichtian and Danian of Denmark). University of Copenhagen, 108–114.
44. Christensen, W. K., Håkansson, E., & Surlyk, F. (1988). Comment and Reply on “Maastrichtian molluscan biostratigraphy and extinction patterns in a Cretaceous/Tertiary boundary section exposed at Zumaya, Spain”. *Geology*, 16, 764–765.
45. Coccioni, R., & Galeotti, S. (1998). What happened to small benthic foraminifera at the Cretaceous/Tertiary boundary? *Bulletin de la Société géologique de France*, 169 (2), 271–279.
46. Culver, S. J. (2003). Benthic foraminifera across the Cretaceous-Tertiary (K-T) boundary: a review. *Marine Micropaleontology*, 47 (3–4), 177–226.
47. Damassa, S. P. (1988). *Carpatella cornuta* Grigorovich 1969 (Dinophyceae) – A Member of the Aptiana-Ventriosum Complex. *Palynology*, 12, 167–177.
48. Desor, P. J. E. (1847). Sur le terrain Danien, nouvel étage de la craie. *Bulletin de la Société Géologique de France*, 2 (4), 179–182.
49. Dhondt, A.V. (1971). Systematic Revision of Entolium, Propeamussium (Amusidae) and Syncyclonema (Pectinidae, Bivalvia, Mollusca) of the European Boreal Cretaceous. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique de la Terre* 47, 1–88.
50. Dhondt, A. V. (1972). Systematic Revision of the Chlamydiae (Pectinidae, Bivalvia, Mollusca) of the European Cretaceous. Part 2: Lyropecten. *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique de la Terre* 48, 1–81.

51. Dia, A., Manhès, G., Dupré, B., & Allègre, C. J. (1989). The Cretaceous–Tertiary boundary problem: An assessment from lead isotope systematics. *Chemical Geology*, 75 (4), 291–304.
52. Drits, V. A., Lindgreen, H., Sakharov, B. A., Jakobsen, H. J., & Zviagina, B. B. (2004). The detailed structure and origin of clay minerals at the Cretaceous/Tertiary boundary, Stevns Klint (Denmark). *Clay Minerals*, 39 (4), 367–390.
53. Dypvik, H., Plado, J., Heinberg, C., Håkansson, E., Pesonen, L. J., Schmitz, B., & Raiskila, S. (2008). Impact structures and events – a Nordic perspective. *Episodes*, 31 (1), 107–114.
54. Ekdale, A., & Bromley, R. G. (1984). Sedimentology and ichnology of the Cretaceous-Tertiary boundary in Denmark; implications for the causes of the terminal Cretaceous extinction. *Journal of Sedimentary Research*, 54 (3), 681–703.
55. Ekdale, A. A., & Bromley, R. G. (1988). Diagenetic microlamination in chalk. *Journal of Sedimentary Petrology*, 58 (5), 857–861.
56. Elliott, W. C. (1993). Origin of the Mg-smectite at the Cretaceous/Tertiary (K/T) boundary at Stevns Klint, Denmark. *Clays and Clay Minerals*, 41 (4), 442–452.
57. Elliott, W. C., Aronson, J. L., Millard, J., H.T., & Gierlowski-Kordesch, E. (1989). The origin of the clay minerals at the Cretaceous/Tertiary boundary in Denmark. *Geological Society of America Bulletin*, 101 (5), 702–710.
58. Esmerode, E. V., Lykke-Andersen, H., & Surlyk, F. (2007). Ridge and valley systems in the Upper Cretaceous chalk of the Danish Basin: contourites in an epeiric sea. In: Viana, A. R. Rebesco, M. (Eds) *Economic and Palaeoceanographic Significance of Contourite deposits: The Geological Society, London, Special Publication*, 276, 265–282.
59. Eugster, O., Geiss, J., & Krähenbühl, U. (1985). Noble gas isotopic abundances and noble metal concentrations in sediments from the Cretaceous-Tertiary boundary. *Earth and Planetary Science Letters*, 74 (1), 27–34.
60. Evans, N. J., Gregoire, D. C., Goodfellow, W. D., McInnes, B. I., Miles, N., & Veizer, J. (1993). Ru/Ir ratios at the Cretaceous-Tertiary boundary: Implications for PGE source and fractionation within the ejecta cloud. *Geochimica et Cosmochimica Acta*, 57, 3149–3158.
61. Fabricius, I. L. (2001). Compaction of microfossil and clay-Rich chalk sediments. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 26 (1–2), 59–62.
62. Floris, S. (1979). Maastrichtian and Danian corals from Denmark. In Birkelund, T. & Bromley, R. G. (Eds) *Cretaceous-Tertiary boundary events, symposium. (Vol. I. The Maastrichtian and Danian of Denmark)*. Copenhagen, 92–94.

63. Forchhammer, G. (1825). De geognostostiske forhold i en Deel af Sjælland og Naboeøerne. Det Kongelige Danske Videnskabers Selskab, physiske og matematiske Skrifter, 1 (2), 248–280.
64. Forchhammer, G. (1828). On the Chalk Formation of Denmark. *Edinburgh Journal of Science*, 17, 56–67.
65. Frei, R., & Frei, K. M. (2002). A multi-isotopic and trace element investigation of the Cretaceous-Tertiary boundary layer at Stevns Klint, Denmark - inferences for the origin and nature of siderophile and lithophile element geochemical anomalies. *Earth and Planetary Science Letters*, 203 (2), 691–708.
66. Frei, R., & Rosing, M. T. (2005). Search for traces of the late heavy bombardment on Earth—Results from high precision chromium isotopes. *Earth and Planetary Science Letters*, 236, 28–40.
67. Frykman, P. (2001). Spatial variability in petrophysical properties in Upper Maastrichtian chalk outcrops at Stevns Klint, Denmark. *Marine and Petroleum Geology*, 18 (10), 1041–1062.
68. Graup, G., & Spettel, B. (1992). Trace and Major Element Chemistry Across the Cretaceous Tertiary Boundary At Stevns-Klint. *Meteoritics*, 27 (3), 228–228.
69. Gravesen, P. (1979). Remarks on the regular echinoids in the upper Maastrichtian and lower Danian of Denmark. In: Birkelund, T. & Bromley, R. G. (Eds) *Symposium on the Cretaceous/ Tertiary boundary events. (Vol. I. The Maastrichtian and Danian of Denmark)*. University of Copenhagen, 72–73.
70. Gravesen, P. (1979). A Danish historical view of the boundary. In: Birkelund, T. & Bromley, R. G. (Eds) *Symposium on the Cretaceous/ Tertiary boundary events. (Vol. I. The Maastrichtian and Danian of Denmark)*. University of Copenhagen, 8–15.
71. Gravesen, P. (1993). Early Danian species of the echinoid genus *Tylocidaris* (Cidaridae, Psychocidarinae) from eastern Denmark. *Contributions to Tertiary and Quaternary Geology*, 30 (1–2), 41–73.
72. Gravesen, P. (1993). *Fossiliensammeln in Südsandinavien*. Weinstadt, Germany: Goldsneck-verlag.
73. Gravesen, P. (2001). Den geologiske udforskning af Fakse Kalkbrud fra midten af 1700-tallet til nu. *Geologisk Tidsskrift*, 2, 1–40.
74. Gwozdz, R., Hansen, H. J., & Rasmussen, K. L. (1992). 40-Kg Sample of Fish-Clay From Stevns-Klint, Denmark. *Meteoritics*, 27 (3), 229–229.
75. Gwozdz, R., Hansen, H. J., & Rasmussen, K. L. (2001). Stevns Klint Fish Clay (FC-1): Preparation of, and Preliminary Results for, a Candidate Reference Material. *Geostandards and Geoanalytical Research*, 25 (1), 159–166.

76. Hallam, A. (1987). End-Cretaceous Mass Extinction Event: Argument for Terrestrial Causation. *Science*, 238 (4831), 1237–1242.
77. Hallam, A., & Perch-Nielsen, K. (1990). The biotic record of events in the marine realm at the end of the Cretaceous: calcareous, siliceous and organic-walled microfossils and macroinvertebrates. *Tectonophysics*, 171 (1–4), 347–357.
78. Hansen, H.J. 1990. Diachronous extinctions at the K/T boundary; A scenario. *Geological Society of America, Special Paper*, 247, 417–423.
79. Hansen, H., Gwozdz, R., Hansen, J., Bromley, R., & Rasmussen, K. (1986). The diachronous C/T plankton extinction in the Danish Basin. In: Walliser, O. (Eds) *Global Bio-Events* (Vol. 8), Springer Berlin / Heidelberg, 381–384.
80. Hansen, H., Gwozdz, R., & Rasmussen, K. L. (1988). High-resolution trace element chemistry across the Cretaceous-Tertiary boundary in Denmark. *Rev. Esp. Paleontol*, 21–29.
81. Hansen, H. J., Gwozdz, R., Bromley, R. G., Rasmussen, K. L., Vogensen, E. W., & Pedersen, K. R. (1986). Cretaceous-Tertiary boundary spherules from Denmark, New Zealand and Spain. *Bulletin of the Geological Society of Denmark*, 35 (1–2), 75–82.
82. Hansen, H. J., Rasmussen, K. L., Gwozdz, R., & Kunzendorf, H. (1987). Iridium-bearing carbon black at the Cretaceous-Tertiary boundary. *Bulletin of the Geological Society of Denmark*, 36 (3–4), 305–314.
83. Hansen, H. J., Rasmussen, K. L., Quingsheng, L., Benjamini, C., Walaszczyk, I., & Gwozdz, R. (1993). Correlation of marine and terrestrial Upper Cretaceous sediments by their magnetic susceptibility. *Bulletin of the Geological Society of Denmark*, 40 (1–2), 175–184.
84. Hansen, J. M. (1977). Dinoflagellate stratigraphy and echinoid distribution in Upper Maastrichtian and Danian deposits from Denmark. *Bulletin of the Geological Society of Denmark*, 26 (1–2), 1–26.
85. Hansen, J. M. (1979). Dinoflagellate zonation around the boundary. In: Birkelund, T. & Bromley, R. G. (Eds) *Cretaceous-Tertiary boundary events, symposium*. (Vol. I. The Maastrichtian and Danian of Denmark). University of Copenhagen, 136–141.
86. Hansen, K. (1941). Tektoniske Retningslinier paa Sjælland. *Meddelelser fra Dansk Geologisk Forening*, 10 (1), 9–16.
87. Hart, M. B., Feist, S. E., Håkansson, E., Heinberg, C., Price, G. D., & Leng, M. J. (2005). The Cretaceous-Palaeogene boundary succession at Stevns Klint, Denmark: Foraminifers and stable isotope stratigraphy. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 224 (1–3), 6–26.

88. Hart, M. B., Feist, S. E., Price, G. D., & Leng, M. J. (2004). Reappraisal of the KT boundary succession at Stevns Klint, Denmark. *Journal of the Geological Society*, 161 (5), 885–892.
89. Hart, M. B., Searle, S. R., Feist, S. E., Leighton, A. D., Price, G. D., Smart, C. W., & Twitchett, R. J. (2011). The distribution of benthic foraminifera across the Cretaceous-Paleogene boundary in Texas (Brazos River) and Denmark (Stevns Klint). In: Keller, G. & Adatte, T. (Eds) *End-Cretaceous mass extinction and the Chicxulub impact in Texas. USA, SEPM*, 179–196.
90. Harvey, M. C., Brassell, S. C., Belcher, C. M., & Montanari, A. (2008). Combustion of fossil organic matter at the Cretaceous-Paleogene (K-P) boundary. *Geology*, 36 (5), 355–358.
91. Hatsukawa, Y., Osawa, T., Oshima, M., Toh, Y., Kimura, A., Koizumi, M., & Furutaka, K. (2012). Measurements of Ir concentration in geological standard samples using neutron activation analysis with multiple gamma-ray coincidence method. *Journal of Radioanalytical and Nuclear Chemistry*, 291, 143–145.
92. Heinberg, C. (1976). Bivalves from the white chalk (Maastrichtian) of Denmark: Limopsidae. *Bulletin of the Geological Society of Denmark*, 25 (1–2), 57–70.
93. Heinberg, C. (1979). Bivalves from the white chalk (Maastrichtian) of Denmark, II: Arcoida. *Bulletin of the Geological Society of Denmark*, 27 (3–4), 105–116.
94. Heinberg, C. (1979). Bivalves from the white chalk (Maastrichtian) of Denmark, III: Cuspidariidae. *Bulletin of the Geological Society of Denmark*, 28 (1–2), 39–45.
95. Heinberg, C. (1989). Bivalves from the white chalk (Maastrichtian) of Denmark, IV: Nuculoida. *Bulletin of the Geological Society of Denmark*, 37 (3–4), 227–236.
96. Heinberg, C. (1993). *Birkelundita*, a new genus (Bivalvia, Carditacea) from the Upper Cretaceous white chalk of Europe. *Bulletin of the Geological Society of Denmark*, 40, 185–195.
97. Heinberg, C. (1999). Lower Danian bivalves, Stevns Klint, Denmark: continuity across the K/T boundary. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 154 (1–2), 87–106.
98. Heinberg, C. (2005). Morphotype biostratigraphy, diachronism, and bivalve recovery in the earliest Danian of Denmark. *Bulletin of the Geological Society of Denmark*, 52 (2), 81–95.
99. Heymann, D., Chibante, L. P. F., Brooks, R. R., Wolbach, W. S., Smit, J., & Korochantsev, A. (1996). Fullerenes of possible wildfire origin in Cretaceous-Tertiary boundary sediments. *Geological Society of America, Special papers*, 307, 453–464.



100. Heymann, D., Korochantsev, A., Nazarov, M. A., & Smit, J. (1996). Search for fullerenes C<sub>60</sub> and C<sub>70</sub> in Cretaceous-Tertiary boundary sediments from Turkmenistan, Kazakhstan, Georgia, Austria, and Denmark. *Cretaceous Research*, 17 (3), 367–380.
101. Hofker, J. (1960). The foraminifera of the lower boundary of the Danish Danian. *Meddelelser fra Dansk Geologisk Forening*, 14 (3), 212–242.
102. Hofker, J. (1962). Correlation of the Tuff Chalk of Maestricht (type Maestrichtian) with the Danske Kalk of Denmark (type Danian), the stratigraphic position of the type Montian, and the planktonic foraminiferal faunal break. *Journal of Paleontology*, 36 (5), 1051–1089.
103. Hultberg, S. U. (1986). Danian dinoflagellate zonation, the C-T boundary and the stratigraphical position of the fish clay in southern Scandinavia. *Journal of Micropalaeontology*, 5 (1), 37–47.
104. Hultberg, S. U. (1987). Palynological evidence for a diachronous low-salinity event in the C–T boundary clay at Stevns Klint, Denmark. *Journal of Micropalaeontology*, 6 (2), 35–40.
105. Hultberg, S. U., & Malmgren, B. A. (1986). Dinoflagellate and planktonic foraminiferal paleobathymetrical indices in the Boreal uppermost Cretaceous. *Micropalaeontology*, 32 (4), 316–323.
106. Hultberg, S. U., & Malmgren, B. A. (1987). Quantitative Biostratigraphy Based on Late Maastrichtian Dinoflagellates and Planktonic Foraminifera from Southern Scandinavia. *Cretaceous Research*, 8 (3), 211–228.
107. Hutchinson, J. N. (2002). Chalk flows from the coastal cliffs of northwest Europe. *Geological Society of America, Reviews in Engineering Geology*, 15, 257–302.
108. Håkansson, E., & Thomsen, E. (1999). Benthic extinction and recovery patterns at the K/T boundary in shallow water carbonates, Denmark. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 154 (1–2), 67–85.
109. Håkansson, E., & Surlyk, F. (1997). Denmark. In: Moores, E. M. & Fairbridge, R. W. (Eds) *Encyclopedia of European and Asian regional geology*. London, Chapman & Hall, 183–192.
110. Håkansson, E., & Voigt, E. (1996). New free-living bryozoans from the northwest European Chalk. *Bulletin of the Geological Society of Denmark*, 42 (2), 187–207.
111. Jablonski, D. (1998). Geographic variation in the molluscan recovery from the end-Cretaceous extinction. *Science*, 279 (5355), 1327–1330.
112. Jagt, J.W.M. (2000). Late Cretaceous-Early Palaeogene echinoderms and the K/T boundary in the southeast Netherlands and northeast Belgium — Part 6: Conclusions. *Scripta Geologica*, 121, 505–577.

113. Jagt, J. W. M., Andersen, S. B. O., & Jakobsen, S. L. (1998). The echinoid *Gauthieria alterna* from the uppermost Maastrichtian of Denmark. *Bulletin of the Geological Society of Denmark*, 45 (1), 23–26.
114. Japsen, P. (1992). Landhævningerne i Sen Kridt og Tertiær i det nordlige Danmark. *Dansk Geologisk Forening, Årsskrift for 1990-91*, 169–182.
115. Jehanno, C., Boclet, D., Bonte, P., Devineau, J., & Rocchia, R. (1987). Minéralogie et teneurs en iridium à la limite Crétacé-Tertiaire dans plusieurs sites européen et africains. *Mem. Soc. Géol. Fr. Nouv. Sér.*, 150, 81–94.
116. Jensen, K. K., Baker, J., Waight, T., Frei, R., & Peate, D. W. (2003). High Precision Ru, Pd, Ir, Pt, Re and REE determinations in the Stevns Klint Cretaceous-Tertiary Boundary Reference Material (FC 1) by Isotope Dilution Multiple Collector Inductively Coupled Plasma Mass Spectrometry. *Geostandards and Geoanalytical Research*, 27 (1), 59–66.
117. Jürgensen, T. (1971). *Tornipora*, a new cheilostome bryozoan from the Maastrichtian and Danian of Denmark. *Bulletin of the Geological Society of Denmark*, 20 (4), 390–396.
118. Jørgensen, N. O. (1976). *Bythoceratina danica*, a new Ostracode from the Maastrichtian white chalk (Denmark). *Bulletin of the Geological Society of Denmark*, 25 (3–4), 135–137.
119. Jørgensen, N. O. (1978). The ostracod fauna from the Maastrichtian white chalk of Denmark. *Bulletin of the Geological Society of Denmark*, 27 (3–4), 93–98.
120. Jørgensen, N. O., & Larsen, O. (1980). The strontium isotopic composition of Maastrichtian and Danian chalk. *Bulletin of the Geological Society of Denmark*, 28 (2), 127–129.
121. Kaminski, M. A., & Malmgren, B. A. (1989). Stable isotope and trace element stratigraphy across the Cretaceous Tertiary boundary in Denmark. *GFF*, 111 (4), 305–312.
122. Karl, H. V., & Lindow, B. E. K. (2009). First evidence of a Late Cretaceous marine turtle (Testudines: Chelonioidae) from Denmark. *Studia Geologica Salmanticensia*, 45 (2), 175–180.
123. Kastner, M., Asaro, F., Michel, H. V., Alvarez, W., & Alvarez, L. W. (1984). The precursor of the Cretaceous-Tertiary boundary clays at Stevns Klint, Denmark, and DSDP Hole 465A. *Science*, 226 (4671), 137–143.
124. Keller, G. (1993). The Cretaceous-Tertiary boundary transition in the Antarctic Ocean and its global implications. *Marine Micropaleontology*, 21 (1–3), 1–45.
125. Keller, G. (2005). Biotic effects of late Maastrichtian mantle plume volcanism: implications for impacts and mass extinctions. *Lithos*, 79 (3–4), 317–341.

126. Keller, G., Adatte, T., Baum, G., & Berner, Z. (2008). Reply to 'Chicxulub impact predates K-T boundary: New evidence from Brazos, Texas' Comment by Schulte et al. *Earth and Planetary Science Letters*, 269 (3–4), 621–629.
127. Keller, G., Barrera, E., Schmitz, B., & Mattson, E. (1993). Gradual mass extinction, species survivorship, and long-term environmental changes across the Cretaceous–Tertiary boundary in high latitudes. *Bulletin of the Geological Society of America*, 105 (8), 979–997.
128. Kjellström, G., & Hansen, J. M. (1981). Dinoflagellate biostratigraphy of the Cretaceous–Tertiary boundary in southern Scandinavia. *Geologiska Föreningen i Stockholm Förhandlingar*, 103 (2), 271–278.
129. Korchagina, O. A., & Tsel'movichb, V. A. (2011). Cosmic Particles (Micrometeorites) and Nanospheres from the Cretaceous–Paleogene (K/T) Boundary Clay Layer at the Stevns Klint Section, Denmark. *Doklady Earth Sciences*, 437 (2), 449–454.
130. Korsnes, R. I., Wersland, E., Austad, T., & Madland, M.V. (2008). Anisotropy in chalk studied by rock mechanics. *Journal of Petroleum Science and Engineering* 62, 28–35.
131. Kunzendorf, H., Gwozdz, R., & Hansen, H. J. (1990). Uranium at the Cretaceous Tertiary boundary in Denmark. *Terra nova*, 2 (1), 79–86.
132. Kunzendorf, H., Gwozdz, R., Hansen, H. J., & Svendsen, N. (1986). Trace elements in a North Sea drill core. *Applied Geochemistry*, 1 (3), 383–394.
133. Larsen, N., & Håkansson, E. (2000). Microfacies mosaics across latest Maastrichtian bryozoan mounds in Denmark. *Proceedings of the 11th International Bryozoology Association Conference*, 272–281.
134. Larsen, O. (1998). Mapping of the Maastrichtian-Danian boundary in the coastal area of Køge Bugt by gamma-and resistivity logging. *Bulletin of the Geological Society of Denmark*, 44 (2), 101–113.
135. Lee, C. T. A, Wasserburg, G. J., & Kyte, F. T. (2003). Platinum-group elements (PGE) and rhenium in marine sediments across the Cretaceous–Tertiary boundary: Constraints on Re-PGE transport in the marine environment. *Geochimica et Cosmochimica Acta*, 67 (4), 655–670.
136. Leighton, A. D., Malcolm B. Hart, M. B., & Smart, C. W. (2011). A preliminary investigation into calcareous dinoflagellate cysts and problematic microfossils from an expanded Cretaceous/Paleogene boundary section at Kulstirenden, Stevns Klint, Denmark. *Cretaceous Research*, 32, 606–617.

137. Lindgreen, H., Drits, V. A., Jakobsen, F. C., & Sakharov, B. A. (2008). Clay mineralogy of the Central North Sea Upper Cretaceous-Tertiary Chalk and the formation of clay-rich layers. *Clays and Clay Minerals*, 56 (6), 693–710.
138. Lindgreen, H., Drits, V. A., Sakharov, B. A., Jakobsen, H. J., Salyn, A. L., Dainyak, L. G., & Krøyer, H. (2002). The structure and diagenetic transformation of illite-smectite and chlorite-smectite from North Sea Cretaceous-Tertiary chalk. *Clay Minerals*, 37, 429–450.
139. Lindgren, J., & Jagt, J. W. M. (2005). Danish mosasaurs. *Netherlands Journal of Geosciences—Geologie en Mijnbouw*, 84 (3), 315–320.
140. Lockwood, R. (2004). The K/T event and infaunality: morphological and ecological patterns of extinction and recovery in veneroid bivalves. *Paleobiology*, 30 (4), 507–521.
141. Luck, J. M., & Turekian, K. K. (1983). Osmium-187/Osmium-186 in Manganese Nodules and the Cretaceous-Tertiary Boundary. *Science*, 222 (4624), 613–615.
142. Lyell, C. (1837). On the Cretaceous and Tertiary strata of the Danish islands of Seeland and Möen. *Transactions of the Geological Society of London*, 2 (5), 243–257.
143. Lykke-Andersen, H., & Surlyk, F. (2004). The Cretaceous–Palaeogene boundary at Stevns Klint, Denmark: inversion tectonics or sea-floor topography? *Journal of the Geological Society, London*, 161 (3), 343–352.
144. Machalski, M. (2002). Danian ammonites: A discussion. *Bulletin of the Geological Society of Denmark*, 49, 49–52.
145. Machalski, M. (2005a). Late Maastrichtian and earliest Danian scaphitid ammonites from central Europe: Taxonomy, evolution, and extinction. *Acta Palaeontologica Polonica*, 50 (4), 653–696.
146. Machalski, M. (2005b). The youngest Maastrichtian ammonite faunas from Poland and their dating by scaphitids. *Cretaceous Research*, 26 (5), 813–836.
147. Machalski, M., & Heinberg, C. (2005). Evidence for ammonite survival into the Danian (Paleogene) from the Cerithium Limestone at Stevns Klint, Denmark. *Bulletin of the Geological Society of Denmark*, 52 (2), 97–111.
148. Machalski, M., Jagt, J. W. M., Heinberg, C., Landman, N. H., & Håkansson, E. (2009). Dańskie amonity—obecny stan wiedzy i perspektywy badań. *Przegląd Geologiczny*, 57 (6), 486–493.
149. MacLeod, N., & Keller, G. (1991). How complete are Cretaceous/Tertiary boundary sections? A chronostratigraphic estimate based on graphic correlation. *Geological Society of America Bulletin*, 103, 1439–1457.

150. Madland, M. V., Hiorth, A., Omdal, E., Megawati, M., Hildebrand-Habel, T., Korsnes, R. I., Evje, S., & Cathles, L. M. (2011). Chemical alterations induced by rock–fluid interactions when injecting brines in high porosity chalks. *Transport in Porous Media*, 87, 679–702.
151. Madsen, H. B., & Stemmerik, L. (2009). Early diagenetic celestite replacement of demosponges in Upper Cretaceous (Campanian–Maastrichtian) chalk, Stevns, Denmark. *Geology* 37 (4), 355–358.
152. Madsen, H. B., & Stemmerik, L. (2010). Diagenesis of Flint and Porcellanite in the Maastrichtian Chalk at Stevns Klint, Denmark. *Journal of Sedimentary Research*, 80 (6), 578–588.
153. Mao, Y., Hou, X., Li, C., Ouyang, H., & Chai, Z. (2001). Determination of platinum-group elements and forty two other elements in two candidate Danish Cretaceous-Tertiary boundary clay reference materials by INAA, ENAA and RNAA. *Geostandards Newsletter- the Journal of Geostandards and Geoanalysis*, 25 (1), 167–171.
154. Meyers, P. A., & Simoneit, B. R. T. (1990). Global comparisons of organic matter in sediments across the Cretaceous/Tertiary boundary. *Organic Geochemistry*, 16, 641–648.
155. Micheelsen, H. (1966). The structure of dark flint from Stevns, Denmark. *Meddelelser fra Dansk Geologisk Forening*, 16, 285–368.
156. Milner, J., & Øxnevad, I. E. I. (1996). Spontaneous imbibition in two different chalk facies. *Petroleum Geoscience*, 2, 231–240.
157. Milthers, V. (1908). Kortbladene Faxe og Stevns Klint. Beskrivelse til Geologiske Kort over Danmark. *Danmarks Geologiske Undersøgelser 1. Række 11*, 1–291.
158. Morden, S. J. (1993). Magnetic analysis of K/T boundary layer clay from Stevns Klint, Denmark. *Meteoritics*, 28 (4), 595–599.
159. Mörner, N.-A. (1982). The Cretaceous-Tertiary Boundary: Chronostratigraphic Position and Sequence of Events. *The Journal of Geology*, 90 (5), 564–573.
160. Nielsen, K. B. (1909). Brachiopoderne i Danmarks Kridtaflejringer. *Det Kongelige Danske Videnskabernes Selskabs Skrifter*, 7. Række, VI (4), 127–178.
161. Nielsen, K. B. (1912). Cirripederne I Danmarks Danien-aflejringer. *Meddelelser fra Dansk geologisk Forening*, 4, 19–46.
162. Nielsen, K. B. (1917). *Heliopora incrustans* nov. sp. With a Survey of the Octocorallia in the Deposits of the Danian in Denmark. *Meddelelser fra Dansk geologisk Forening*, 5 (2, 7), 1–14.
163. Nielsen, K. B. (1917). Cerithiumkalken i Stevns Klint. *Meddelelser fra Dansk Geologisk Forening*, 5 (2, 7), 1–14.

164. Nielsen, K. B. (1919). En Hydrocoral fauna fra Faxe og Bemærkninger om Danien'ets geologiske stilling. *Meddelelser fra Dansk Geologisk Forening*, 5 (4, 16), 1–68.
165. Nielsen, K. B. (1920). Inddelingen af Danien'et i Danmark og Skaane. *Meddelelser fra Dansk geologisk Forening*, 5 (5, 19), 1–16.
166. Nielsen, K. B. (1921). Nogle Bemærkninger om de store Terebratler i Danmarks Kridt- og Danienaflejringer. *Meddelelser fra Dansk Geologisk Forening*, 6 (1, 3), 1–15.
167. Nielsen, K. B. (1922). Zoantharia from Senone and Paleocene deposits in Denmark and Skaane. *Det Kongelige Danske Videnskabernes Selskabs Skrifter*, 8. Række, V (3), 199–233.
168. Nielsen, K. B. (1925). Nogle Echiniderester fra Danmarks Senon og Danien. *Meddelelser fra Dansk Geologisk Forening*, 6 (5, 29), --10.
169. Nielsen, K. B. (1928). Argiope-Arterne i Danmarks senone, daniske og paleocæne Aflejringer. *Meddelelser fra Dansk Geologisk Forening*, 7 (3), 215–226.
170. Nielsen, K. B. (1929). Kalksvampe i Danmarks Senonium og Danium. *Meddelelser fra Danmarks Geologiske Forening*, 7 (4), 323–342.
171. Nielsen, K. B. (1931). Serpulidae from the Senonian and Danian deposits of Denmark. *Meddelelser fra Dansk Geologisk Forening*, 8 (1), 71–118.
172. Nielsen, L., Boldreel, L. O., & Surlyk, F. (2004). Ground-penetrating radar imaging of carbonate mound structures and implications for interpretation of marine seismic data. *AAPG Bulletin*, 88, 1–14.
173. Nielsen, L., Boldreel, L. O., & Vindum, J. (2003). GPR and marine seismic imaging of carbonate mound structures in Denmark and southwest Sweden: A case study of imaging structures at different scales. *The Leading Edge*, 872–875.
174. Nielsen, L., Boldreel, L. O., Hansen, T. M., Lykke-Andersen, H., Stemmerik, L., Surlyk, F., & Thybo, H. (2011). Integrated seismic analysis of the Chalk Group in eastern Denmark—Implications for estimates of maximum palaeo-burial in southwest Scandinavia. *Tectonophysics* 511, 14–26.
175. Oberbeck, V. R., & Aggarwal, H. (1992). Comet impacts and chemical evolution on the bombarded Earth. *Origins of Life and Evolution of Biospheres*, 21 (5–6), 317–338.
176. Officer, C. B., & Drake, C. L. (1985). Terminal Cretaceous Environmental Events. *Science*, 227 (4691), 1161–1167.
177. Okube, M., Sasaki, S., Yoshiasa, A., Wang, L., Nakatani, T., Hongu, H., Murai, K., Nakatsuka, A., & Miyawaki, R. (2012). Local structure of Zn in Cretaceous-Tertiary

- boundary clay from Stevns Klint. *Journal of Mineralogical and Petrological Sciences*, 107 (5), 192–196.
178. Olsen, C., Hongdul, T., & Fabricius, I. L. (2008). Prediction of Archie's cementation factor from porosity and permeability through specific surface. *Geophysics*, 73 (2), 81–87.
179. Olsen, C., Christensen, H., & Fabricius, I. L. (2008). Static and dynamic Young's moduli of chalk from the North Sea. *Geophysics*, 73 (2), 41–50.
180. Ortega-Huertas, M., Martinez-Ruiz, F., Palomo, I., & Chamley, H. (2002). Review of the mineralogy of the Cretaceous-Tertiary boundary clay: evidence supporting a major extraterrestrial catastrophic event. *Clay Minerals*, 37 (3), 395–411.
181. Osawa, T., Hatsukawa, Y., Nagao, K., Koizumi, M., Oshima, M., & Toh, Y. (2009). Iridium concentration and noble gas composition of Cretaceous-Tertiary boundary clay from Stevns Klint, Denmark. *Geochemical Journal*, 43 (6), 415–422.
182. Pedersen, S. A. S., & Damholt, T. (2012). Cliff collapse at Stevns Klint, south-east Denmark. *Geological Survey of Denmark and Greenland Bulletin*, 26, 33–36.
183. Perch-Nielsen, K. (1969). Die Coccolithen einiger dänischer Maastrichtien und Danien lokalitäten. *Meddelelser fra Dansk Geologisk Forening*, 19 (1), 51–68.
184. Perch-Nielsen, K., McKenzie, J. A., & He, Q. (1982). Biostratigraphic and isotope stratigraphy and the "catastrophic" extinction of calcareous nannoplankton at the Cretaceous/Tertiary boundary. *Geological Society of America Special Paper*, 190, 353–370.
185. Ping, K., Chifang, C., Xueying, M., & Shulan, M. (1991). Chemical species of iridium and other trace elements in the Cretaceous-Tertiary boundary clays and their implication. *Journal of Radioanalytical and Nuclear Chemistry*, 151 (1), 201–211.
186. Premović, P. I. (2004). Cretaceous-Tertiary boundary deposits in Denmark: A diachroneity. *Journal of the Serbian Chemical Society*, 69 (7), 555–561.
187. Premović, P. I. (2009). The conspicuous red "impact" layer of the Fish Clay at Højerup (Stevns Klint, Denmark). *Geochemistry International*, 47 (5), 513–521.
188. Premović, P. I. (2011). Distal "impact" layers and global acidification of ocean water at the Cretaceous–Paleogene boundary (KPB). *Geochemistry International*, 49, 55–65.
189. Premović, P. I., Ilić, B. S. & Dordević, M. G. (2012). Iridium anomaly in the Cretaceous–Paleogene boundary at Højerup (Stevns Klint, Denmark) and Woodside Creek (New Zealand): the question of an enormous proportion of extraterrestrial component. *Serbian Chemical Society Journal*, 77, 247–255.

190. Premović, P. I., Krsmanović, M. M., Todorović, B. Ž., Pavlović, M. S., Nikolić, N. D., & Djordjević, D. M. (2006). Geochemistry of the Cretaceous-Tertiary boundary (Fish Clay) at Stevns Klint (Denmark): Ir, Ni and Zn in kerogen. *Journal of the Serbian Chemical Society*, 71 (7), 793–806.
191. Premović, P. I., Nikolić, N. D., Pavlović, M. S., Todorović, P. Ž., Djordjevic, D. M., & Nikolić, R. S. (2001). The Cretaceous-Tertiary boundary Fiskeler at Stevns Klint, Denmark: the geochemistry of the major trace metals. *Journal of the Serbian Chemical Society*, 66 (10), 647–670.
192. Premović, P. I., Nikolić, N. D., Tonsa, I. R., Dulanović, D. T., & Pavlović, M. S. (1999). Cretaceous-Tertiary boundary layer at Stevns Klint (Denmark): copper and copper(II) porphyrins. *Journal of the Serbian Chemical Society*, 64 (5–6), 349–358.
193. Premović, P. I., Nikolić, N. D., Tonsa, I. R., Pavlović, M. S., Premović, M. P., & Dulanović, D. T. (2000). Copper and copper(II) porphyrins of the Cretaceous-Tertiary boundary at Stevns Klint (Denmark). *Earth and Planetary Science Letters*, 177 (1–2), 105–118.
194. Premović, P. I., Pavlović, N. Z., Pavlović, M. S., & Nikolić, N. D. (1993). Physicochemical conditions of sedimentation of the Fish Clay from Stevns Klint, Denmark, and its detrital nature: Vanadium and other supportive evidence. *Geochimica et Cosmochimica Acta*, 57 (7), 1433–1446.
195. Premović, P. I., Stanković, M. N., Pavlović, M. S., & Djordjević, M. G. (2008). Cretaceous – Paleogene boundary Fish Clay at Højerup (Stevns Klint, Denmark): Zn, Pb and REE in kerogen. *Serbian Chemical Society Journal*, 73, 453–461.
196. Premović, P. I., Todorović, B. Z., Nikolić, N. D., Pavlović, M. S., Dordević, D. M.,  
197. & Dulanović, D. T., (2006), Geochemistry of Ni in the Cretaceous–Tertiary succession Fiskeler (Fish Clay) at Stevns Klint (Denmark): cheto-smectite of the black marl. *Serbian Chemical Society Journal*, 71, 639–659.
198. Premović, P. I., Todorović, B. Ž., & Pavlović, M. S. (2007). Cretaceous - Paleogene boundary Fish Clay at Højerup (Stevns Klint, Denmark): trace metals in kerogen. *Bulletin de la Société Géologique de France*, 178 (5), 411–421.
199. Premović, P. I., Todorović, B. Ž., & Stanković, M. N. (2008). Cretaceous-Paleogene boundary (KPB) Fish Clay at Højerup (Stevns Klint, Denmark): Ni, Co, and Zn of the black marl. *Geologica Acta*, 6 (4), 369–382.
200. Puggaard, C. (1853). Deux vues géologiques pour servir á la description géologique du Danemark. In. Copenhagen: Librairie de C.A. Reitzel.
201. Quitte, G., Robin, E., Levasseur, S., Capmas, F., Rocchia, R., Birck, J. L. & Allegre, C. J. (2007). Osmium, tungsten, and chromium isotopes in sediments and in Nirich spinel at the K-T boundary: Signature of a chondritic impactor. *Meteoritics and Planetary Science*, 42 (9), 1567–1580.



202. Ramadurai, S., Lloyd, D., Wallis, M., & Wickramasinghe, N. C. (1995). Extinction of dinosaurs: A possible novel cause. *Advances in Space Research*, 15 (3), 139–146.
203. Rasmussen, H. W. (1971). Echinoid and crustacean burrows and their diagenetic significance in the Maastrichtian-Danian of Stevns Klint, Denmark. *Lethaia*, 4 (2), 191–216.
204. Rasmussen, H. W. (1979). Crinoids, asteroids and ophiuroids in relation to the boundary. In: Birkelund, T. & Bromley, R. G. (Eds) Cretaceous-Tertiary boundary events, symposium, I. The Maastrichtian and Danian of Denmark (Vol. I. The Maastrichtian and Danian of Denmark). University of Copenhagen, 65–71.
205. Rasmussen, J. A., Heinberg, A., & Håkansson, E. (2001). Planktic Foraminifera from the lowermost type Danian of Stevns Klint, Denmark. *Bulletin of the Geological Society of Denmark*, 52 (2), 113–131.
206. Rasmussen, S. L., & Surlyk, F. (2012). Facies and ichnology of an Upper Cretaceous chalk contourite drift complex, eastern Denmark, and the validity of contourite facies models. *Journal of the Geological Society, London*, 169, 435–447.
207. Ravn, J. P. J. (1902a). Molluskerne i Danmarks Kridtaflejringer. I. Lamellibranchiater. *Det Kongelige Danske Videnskabernes Selskab Skrifter*, 6, Række 9, 69–141.
208. Ravn, J. P. J. (1902b). Molluskerne i Danmarks Kridtaflejringer. II: Scaphopoda, Gastropoda og Cephalopoda. *Kongelige Danske Videnskabernes Selskab Skrifter*, 6, Række 9, 205–270.
209. Ravn, J.P.J (1903). Molluskerne I Danmarks Kridtaflejringer. III Stratigrafiske Undersøgelser. *Det Kongelige Danske Videnskabernes Selskabs Skrifter*, 6, Række 11, 335–446.
210. Ravn, J. P. J. (1904). Bemærkninger om Iagserien i Stevns klint samt om *Cyathidium Holopus* Steenstr. *Geologiska Föreningen i Stockholm Förhandlingar*, 26 (4), 347–354.
211. Rocchia, R., Boclet, D., Bonte, P., Devineau, J., Jehanno, C., & Renard, M. (1987). Comparaison des distributions de l'iridium observées à la limite Crétacé-Tertiaire dans divers sites européens. *Mémoires de la Société géologique de France*, 150, 95–103.
212. Romein, A. J. T., & Smit, J. (1981). The Cretaceous/Tertiary boundary: calcareous nannofossils and stable isotopes. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B*, 84, 295–314.
213. Rosenbom, A. E., & Jakobsen, P. R. (2005). Infrared Thermography and Fracture Analysis of Preferential Flow in Chalk. *Vadose Zone Journal*, 4, 271–280.

214. Rosenkrantz, A. (1924). Nye iagttagelser over Cerithiumkalken i Stevns Klint med bemærkninger om grænsen mellem Kridt og Tertiær. *Meddelelser fra Dansk Geologisk Forening*, 6, 28–31.
215. Rosenkrantz, A. (1937). Bemærkninger om det østsjællandske Daniens Stratigrafi og Tektonik. *Meddelelser fra Dansk Geologisk Forening*, 9 (2), 199–212.
216. Rosenkrantz, A. (1939). Faunaen i Cerithiumkalken og det hærtnede Skrivekridt i Stevns Klint. *Meddelelser fra Dansk Geologisk Forening*, 9 (4), 509–514.
217. Rosenkrantz, A. (1942). Om de strukturelle Forhold i den prækvartære Undergrund i Østsjælland. *Meddelelser fra Dansk Geologisk Forening*, 10 (2), 152–158.
218. Rosenkrantz, A. (1944). Smaabidrag til Danmarks geologi. *Meddelelser fra Dansk Geologisk Forening*, 10 (4), 436–459.
219. Rosenkrantz, A. (1966). Die Senon/Dan-Grenze in Dänemark. *Berichte der Deutschen Gesellschaft für Geologische Wissenschaften, Reihe A, Geologie und Paläontologie*, 11, 721–727.
220. Schmitz, B. (1985). Metal precipitation in the Cretaceous-Tertiary boundary clay at Stevns Klint, Denmark. *Geochimica et Cosmochimica Acta*, 49 (11), 2361–2370.
221. Schmitz, B. (1988). Origin of microlayering in worldwide distributed Ir-rich marine Cretaceous/Tertiary boundary clays. *Geology*, 16 (12), 1068–1072.
222. Schmitz, B. (1990). Replies to Comments on “Origin of microlayering in worldwide distributed Ir-rich marine Cretaceous/Tertiary boundary clays”. *Geology*, 18, 89–94.
223. Schmitz, B., Andersson, P., & Dahl, J. (1988). Iridium, sulfur isotopes and rare earth elements in the Cretaceous-Tertiary boundary clay at Stevns Klint, Denmark. *Geochimica et Cosmochimica Acta*, 52 (1), 229–236.
224. Schmitz, B., Keller, G., & Stenvall, O. (1992). Stable isotope and foraminiferal changes across the Cretaceous-Tertiary boundary at Stevns Klint, Denmark: Arguments for long-term oceanic instability before and after bolide-impact event. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 96 (3–4), 233–260.
225. Schmitz, B., & Speijer, R. P. (1996). Stable isotope ( $\delta^{18}\text{O}$ ,  $\delta^{13}\text{C}$ ) records across the Cretaceous/Tertiary boundary at Geulhemmerberg, southern Netherlands. *Geologie en Mijnbouw*, 75 (2), 245–253.
226. Schulte, P., Deutsch, A., Salge, T., Berndt, J., Kontny, A., MacLeod, K. G. (2009). A dual-layer Chicxulub ejecta sequence with shocked carbonates from the Cretaceous-Paleogene (K-Pg) boundary, Demerara Rise, western Atlantic. *Geochimica et Cosmochimica Acta*, 73(4), 1180–1204.

227. Sepúlveda, J., Wendler, J. E., Summons, R. E., & Hinrichs, K. –U. (2009). Rapid Resurgence of Marine Productivity After the Cretaceous-Paleogene Mass Extinction. *Science*, 326 (5949), 129–132.
228. Sheldon, E. (2008). Upper Campanian-Maastrichtian calcareous nannofossil biostratigraphy of the Stevns-1 Borehole, Denmark. *Journal of Nannoplankton Research*, 30 (1), 39–49.
229. Shiokawa, T., Sahoo, Y. V. Y., Ganapathy, R., & Masuda, A. (1996). Vertical variation of Rhenium, Cadmium, Silver and Platinum-group Elements within a Transitional Bed of Danish Cretaceous-Tertiary Boundary Layer. *Proceedings of the Japan Academy Series B-Physical and Biological Sciences*, 72 (8), 163–167.
230. Shukolyukov, A., & Lugmair, G. W. (1998). Isotopic evidence for the Cretaceous-Tertiary impactor and Its type. *Science*, 282 (5390), 927–929.
231. Simoneit, B. R. T., & Beller, H. R. (1987). Lipid Geochemistry of Cretaceous Tertiary Boundary Sediments, Hole-605, Deep-Sea Drilling Project Leg-93, and Stevns Klint, Denmark. *Initial Reports of the Deep Sea Drilling Project*, 93, 1211–1221.
232. Smith, A.B., & Jeffery, C.H. (2000). Maastrichtian and Palaeocene echinoids: A key to world faunas. *Special Papers in Palaeontology* 63. The Palaeontological Association, London, 406 pp.
233. Smit, J. (1999). The global stratigraphy of the Cretaceous-Tertiary boundary impact ejecta. *Annual Review of Earth and Planetary Sciences*, 27 (1), 75–113.
234. Smit, J., & Romein, A. J. T. (1985). A sequence of events across the Cretaceous-Tertiary boundary. *Earth and Planetary Science Letters*, 74 (2–3), 155–170.
235. Smit, J., & ten Kate, W. G. H. Z. (1982). Trace-element Patterns at the Cretaceous-Tertiary Boundary: Consequences of a Large Impact. *Cretaceous Research*, 3 (3), 307–332.
236. Sogot, C. E., Harper, E. M., & Taylor, P. D. (2013). Biogeographical and ecological patterns in bryozoans across the Cretaceous-Paleogene boundary: Implications for the phytoplankton collapse hypothesis. *Geology*, 41 (6), 631–634.
237. Steensby, H. P. (1925). Om de Danske Öers geografiske Udvikling I senglacial Tid. *Geografiska Annaler*, 7, 23–80.
238. Stemmerik, L., Surlyk, F., Klitten, K., Rasmussen, S. L., & Schovsbo, N. (2006). Shallow core drilling of the Upper Cretaceous chalk at Stevns Klint, Denmark. *Geological Survey of Denmark and Greenland, Bulletin*, 10, 13–16.
239. Strand, S., Hjuler, M. L., Torsvik, R., Pedersen, J. I., Madland, M. V., & Austad, T. (2007). Wettability of chalk: impact of silica, clay content and mechanical properties. *Petroleum Geoscience*, 13, 69–80.

240. Surlyk, F. (1970). Die Stratigraphie des Maastricht von Dänemark und Norddeutschland aufgrund von Brachiopoden. *Newsl. Stratigr.* 1 (2), 7–16.
241. Surlyk, F. (1972). Morphological adaptations and population structures of the Danish chalk brachiopods (Maastrichtian, Upper Cretaceous). *Kgl. dan. Vid. Selsk. biol. Skr.*, 19 (2), 68 pp.
242. Surlyk, F. (1973). Autecology and taxonomy of two Upper Cretaceous craniacean brachiopods. *Bull. geol. Soc. Denmark*, 22, 219–243.
243. Surlyk, F. (1979). Maastrichtian brachiopods from Denmark. In: Birkelund, T. & Bromley, R. G. (Eds) *Cretaceous-Tertiary boundary events, symposium, I. (Vol. I. The Maastrichtian and Danian of Denmark)*. University of Copenhagen, 45–50.
244. Surlyk, F. (1979). Guide to Stevns Klint. In: Birkelund, T. & Bromley, R. G. (Eds) *Cretaceous-Tertiary boundary events, symposium, I. The Maastrichtian and Danian of Denmark (Vol. I. The Maastrichtian and Danian of Denmark)*. University of Copenhagen, 164–170.
245. Surlyk, F., 1980. Denmark. In: *Geology of the European Countries, Denmark, Finland, Iceland, Norway, Sweden*. Dunod, Paris. Published in cooperation with the *Comite National Francais de Géologie (C.N.F.G.)* on the occasion of the 26th international Geological Congress, 1–50.
246. Surlyk, F. (1980). Upper Cretaceous and Danian outcrops in Scania and East Denmark. In: Birkelund, T. & Bromley, R. G. (Eds) *Upper Cretaceous and Danian of NW Europe*. 26eme Congr. Geol. Intern., Excursion 069A, 21–48.
247. Surlyk, F. (1980). The Cretaceous-Tertiary Boundary Event. *Nature*, 285 (5762), 187–188.
248. Surlyk, F. (1984). The Maastrichtian Stage in NW Europe, and its brachiopod zonation. *Bulletin of the Geological Society of Denmark*, 33 (1), 217–223.
249. Surlyk, F. (1984). Geologie von Stevns Klint und Möns Klint. In: Degens, E. T., Hillmer, G., Spach, C. (Eds) *Exkursionsführer. Erdgeschichte des Nordsee – und Ostseeraumes*. Geologisch-Paläontologisches Institut der Universität Hamburg, 549–573.
250. Surlyk, F. (1990). Mass extinction: Events. Cretaceous-Tertiary (Marine). In: Briggs, D. E. G., Crowther, P. R. (Eds) *Palaeobiology – a synthesis*. Blackwell Scientific Publications, Oxford. 198–203.
251. Surlyk, F. (1997). A cool-water carbonate ramp with bryozoan mounds: Late Cretaceous-Danian of the Danish Basin. *Society for Sedimentary Geology*, 56.
252. Surlyk, F., Boldreel, L. O., Lykke-Andersen, H., & Stemmerik, L. (2010). The Skælskør structure in eastern Denmark – wrench-related anticline or primary Late

- Cretaceous seafloor topography? *Bulletin of the Geological Society of Denmark*, 58, 99–109.
253. Surlyk, F., Damholt, T., & Bjerager, M. (2006). Stevns Klint, Denmark: Uppermost Maastrichtian chalk, Cretaceous-Tertiary boundary, and lower Danian bryozoan mound complex. *Bulletin of the Geological Society of Denmark*, 54, 1–48.
254. Surlyk, F., & Håkansson, E. (1999). Maastrichtian and Danian strata in the southeastern part of the Danish Basin. In: Pedersen, G. K. & Clemmensen, L. B. (eds) *Field trip guidebook. Contributions to Geology. University of Copenhagen*, 29–58.
255. Surlyk, F., & Johansen, M. B. (1984). End-Cretaceous Brachiopod Extinctions in the Chalk of Denmark. *Science*, 223 (4641), 1174–1177.
256. Surlyk, F., & Nielsen, J. M. (1999). The last ammonite? *Bulletin of the Geological Society of Denmark*, 46 (1), 115–119.
257. Surlyk, F., Stemmerik, L., Ahlborn, M., Harlou, R., Lauridsen, B. W., Rasmussen, S. L., Schovsbo, N., Sheldon, E. & Thibault, N. (2010). The cyclic Rørdal Member – a new lithostratigraphic unit of chronostratigraphic and palaeoclimatic importance in the upper Maastrichtian of Denmark. *Bulletin of the Geological Society of Denmark*, 58, 89–98.
258. Thibault, N. (2010). Calcareous nannofossils from the Boreal upper Campanian-Maastrichtian chalk of Denmark. *Journal of Nannoplankton Research*, 31 (1), 39–56.
259. Thibault, N. (2010). Biometric analysis of the *Arkhangelskiella* group in the upper Campanian-Maastrichtian of the Stevns-1 borehole, Denmark: Taxonomic implications and evolutionary trends. *Geobios*, 43 (6), 639–652.
260. Thibault, N., Harlou, R., Schovsbo, N., Schiøler, P., Minoletti, F., Galbrun, B., Lauridsen, B. W., Sheldon, E., Stemmerik, L., & Surlyk, F. (2012). Upper Campanian-Maastrichtian nannofossil biostratigraphy and high-resolution carbon-isotope stratigraphy of the Danish Basin: Towards a standard  $\delta^{13}\text{C}$  curve for the Boreal Realm. *Cretaceous Research*, 33, 72–90.
261. Thomsen, E. (1995). Kalk og kridt i den danske undergrund. In: Nielsen, O. B. (Eds) *Danmarks geologi fra Kridt til i dag, Århus Geokompendier*, 1, 31–68.
262. Toft, P. C. (1986). Diagenetic fluorite in chalks from Stevns Klint and Møns Klint, Denmark. *Sedimentary Geology*, 46 (3–4), 311–323.
263. Trinquier, A., Birck, J.-L., & Allègre, C. J. (2006). The nature of the KT impactor. A  $^{54}\text{Cr}$  reappraisal. *Earth and Planetary Science Letters*, 241, 780–788.
264. Tredoux, M., Wit, M. J. D., Hart, R. J., Lindsay, N. M., Verhagen, B., & Sellschop, J. P. F. (1989). Chemostratigraphy across the Cretaceous-Tertiary Boundary and a Critical Assessment of the Iridium Anomaly. *The Journal of Geology*, 97 (5), 585–605.

265. Troelsen, J. C. (1955). *Globotruncana contusa* in the White Chalk of Denmark. *Micropaleontology*, 1 (1), 76–82.
266. Urey, H. C., Lowenstam, H. A., Epstein, S., & McKinney, C. R. (1961). Measurement of paleotemperatures and temperatures of the Upper Cretaceous of England, Denmark, and the southeastern United States. *Bulletin of the Geological Society of America*, 62, 399–416.
267. Venkatesan, M. I., Dahl, J. (1989). Organic geochemical evidence for global fires at the Cretaceous/Tertiary boundary. *Nature*, 338, 57–60.
268. Wdowiak, T. J., Armendarez, L. P., Agresti, D. G., Wade, M. L., Wdowiak, S. Y., Claeys, P., & Izett, G. (2001). Presence of an iron-rich nanophase material in the upper layer of the Cretaceous-Tertiary boundary clay. *Meteoritics and Planetary Science* 36, 123–133.
269. Wendler, J., Wendler, I., & Willems, H. (2001). *Orthopithonella collaris* sp. nov., a new calcareous dinoflagellate cyst from the K/T boundary (Fish Clay, Stevns Klint/Denmark). *Review of Palaeobotany and Palynology*, 115 (1–2), 69–77.
270. Wendler, J., & Willems, H. (2002). Distribution pattern of calcareous dinoflagellate cysts across the Cretaceous-Tertiary boundary (Fish Clay, Stevns Klint, Denmark): Implications for our understanding of species-selective extinction. *Geological Society of America Special Papers*, 356, 265–275.
271. Wind, J. (1954). *Tylocidaris Piggene* som Ledeforsteninger i vort øvre Senon og Danien. *Meddelelser fra Dansk Geologisk Forening*, 12 (4), 481–490.
272. Wind, J. (1959). *Echinocorys Formerne* og deres stratigrafiske Udbredelse i det øverste Kridt i Danmark. *Meddelelser fra Dansk Geologisk Forening*, 14 (2), 122–132.
273. Wolbach, W.S., Gilmour, I., and Anders, E. 1990. Major wildfires at the Cretaceous/Tertiary boundary. *Geological Society of America Special Paper*, 247, 391–400.
274. Wolbach, W. S., Lewis, R. S., & Anders, E. (1985). Cretaceous extinctions: Evidence for Wildfires and Search for Meteoritic Material. *Science*, 230 (4722), 167–170.
275. Yi, Y. V., & Masuda, A. (1996a). Simultaneous determination of Ruthenium, Palladium, Iridium, and Platinum at Ultratrace Levels by Isotope Dilution Inductively Coupled Plasma Mass Spectrometry in Geological Samples. *Analytical Chemistry*, 68 (8), 1444–1450.
276. Yi, Y. V., & Masuda, A. (1996b). Isotopic homogenization of iridium for high sensitivity determination by isotope dilution inductively coupled plasma mass spectrometry. *Analytical Sciences*, 12, 7–12.

277. Yi, Y. V., Masuda, A., Aikawa, M., & Ganapathy, R. (1995). Platinum-group Elements and Silver in the Cretaceous-Tertiary Boundary Samples from Stevns Klint, Denmark. *Proceedings of the Japan Academy Series B-Physical and Biological Sciences*, 71 (9), 279–282.
278. Zhao, M., & Bada, J. L. (1989). Extraterrestrial amino acids in Cretaceous/Tertiary boundary sediments at Stevns Klint, Denmark. *Nature*, 339, 463–465.
279. Ødum, H. (1926). Studier over Daniet i Jylland og paa Fyn. *Danmarks geologiske Undersøgelser, Række 2*, 45, 1–306.